EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1158	(717/124).COLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:55
L2	73	I1 and batch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:55
L3	54	l2 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:55
L4	0	I3 and IMS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:56
L5	0	I3 and BMP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:56
S 2	11	IMS adj region\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/15 12:53
S3	56	IMS adj2 region\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 13:40
S 4	10	BMP and (DL adj2 S1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 13:41
S5	2	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 13:41

S	9	("5537945" "5003408" "5613109" "5642365" "5956369" "5974005" "4520452" "4595839" "4613898" "4924492" "4954969" "5300726" "5371854" "5579279" "5592891" "5610906" "5629645" "5648938" "5727233" "5875470" "5926465" "5937164" "5938748" "5973731" "5978592" "6112017" "6175533" "6249491" "4364042" "4396902" "4445176" "4449181" "4542509" "4542509" "454579" "4825404" "4843560" "4856871" "5022047" "5022047" "5299226" "5361370" "5430854" "5452101" "5455859"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04
	ananaanaanaanaanaanaanaanaanaanaanaanaa	"5361370" "5430854" "5452101"				
S 7	2	(test near5 job\$1) and (batch adj type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 15:57

S8	4	batch with test with job with type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:22
S9	59	batch with test with job	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:23
S10	45	S9 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:26
S11	1	convert\$3 with BMP with DL1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:31
S12	422	batch near conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:43
S13	259	batch adj conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:43
S14	99	S12 and test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:44
S15	1	S14 and BMP and DL \$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:44
S16	0	S13 and BMP and DL \$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:44
S17	1	S12 and BMP and DL \$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:45

S18	1083	batch near conver\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:46
S19	4	S18 and (BMP (batch adj message adj process))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:47
S20	3	bacth near test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:50
S21	0	bacth and test and load\$3 and unload\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:52
S22	3633	batch and test and load\$3 and unload\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:52
S2 3	3	batch with test with load\$3 with unload \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:53
S24	3	(test adj job\$1) with load\$3 with unloading	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:55
S25	13	(test adj job\$1) with load\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 16:55
S26	2821	batch adj file\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/05 08:39
S27	128	(batch adj file\$1) with test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/05 08:39

S28	107	S27 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/05 08:39
S29	34	job adj conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/05 08:53
S30	27	\$29 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/05 08:53
S31	12	(US-20030191795-\$ or US-20040172632-\$ or US-20040230399-\$ or US-20040078692-\$ or US-20020162059- \$).did. or (US-6430708-\$ or US-7320090-\$ or US-7299451-\$ or US-7278056-\$ or US-7159021-\$ or US-7117411-\$ or US-7047446-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/03/05 09:20
S32	12	S31 and (data database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/05 09:20
S33	3	S32 and (test adj job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/05 09:22
S34	6	S32 and job	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/05 09:23
S35	9	S31 and (data database) and (batch adj file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/05 09:25

S36	264	(extract with production with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:23
S37	170	\$36 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:23
S38	3080	test near2 database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:24
S39	6	S36 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:24
S40	170	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:24
S41	6	\$36 and \$38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:24
S42	62	JCON	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:30
S43	17	S42 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:30
S44	5	S43 and test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:30
S45	809	job near control near language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:34

S46	222	S45 and batch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:35
S47	113	S46 and test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:35
S48	84	S47 and conver\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:35
S49	151	convert\$3 with production with batch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:37
S50	88	S49 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:37
S51	43	S50 and test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:37
S52	8	convert\$3 with production with batch with test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:37
S53	3	S52 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:38
S54	4	(data adj language adj one) with (batch adj message adj processing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:43
S55	7	(data adj language adj one) and (batch adj message adj processing) and conver\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 11:14

S56	3	(test adj (job case procedure)) with (test near5 database) with load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 13:07
S57	1359	job near2 convert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 13:38
S58	249	S57 and test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 14:03
S59	164	S58 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 14:03
S60	158	(data database) with extract\$3 with load \$3 with test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:26
S61	118	S60 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:27
S62	2	S61 and batch near5 file\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:28
S63	1629	test\$3 and database and batch near5 file \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:46
S64	1210	\$63 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:46
S65	7	test\$3 and database and (batch near5 file \$3) and (test adj job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:47

S66	106	IMS near2 region\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 16:10
S67	460795	S66 restriction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 16:11
S68	8	S66 and restriction \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 16:11
S69	3	(test and job\$1) with batch with environment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 16:15
S70	3	(remov\$3 avoid\$3 alevivat\$3) with IMS with restriction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 10:53
S71	0	(remov\$3 avoid\$3 alevivat\$3) with (IMS adj region) with restriction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 10:59
S72	7091406	number\$1 (IMS adj region\$1) with restriction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 11:00
S73	1	number\$1 with (IMS adj region\$1) with restriction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 11:00
S74	12543663	I(IMS adj region\$1) with restriction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 11:00
S75	1	(IMS adj region\$1) with restriction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 11:00

S76	1	number\$1 with (IMS adj region\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 11:00
S77	1	(limit\$2 limitation) with (IMS adj region \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 11:01
S78	12	(IMS adj region\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 11:02
S79	10	number\$1 and(IMS adj region\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 11:03
S80	7	conver\$4 with bmp with (DLI DL1 (DL near "1"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:02
S81	236	(production with test \$3 with schedule\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:10
S82	183	S81 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:11
S83	2	test\$3 near7 based near4 (production near2 schedule\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:12
S84	5	test\$3 with (based according) with (production near2 schedule\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:13
S85	3	\$84 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:13

S86	111	(test\$3 near2 schedule\$1) with (production near2 schedule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:17
S87	8	S86 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:17
S88	15	(test\$3 near2 schedule\$1) with (operation near2 schedule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:20
S89	11	S88 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:20
S90	246	(test\$3 near2 schedule\$1) with based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:24
S91	172	S90 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:25
S92	144	(test\$3 adj2 schedule \$1) with based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:31
S93	97	S92 and @ad < "20040611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:31
S94	53	(test\$3 adj2 schedule \$1) adj5 based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:31
S95	2	\$1) adj5 based adj7 (operation production)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 13:32

S96	33	S94 and @ad <	US-PGPUB;	OR	OFF	2008/03/07	******
		"20040611"	USPAT; USOCR;			13:32	
			EPO; JPO;				
			DERWENT;				-
			IBM_TDB				

3/13/2008 10:56:45 AM

C:\ Documents and Settings\ pw ang\ My Documents\ EAST\ Workspaces\ 10710009.w sp